

# 2008 FORD F-150 XL/STX/XLT

The information below was known to be true at the time the vehicle was manufactured. The vehicle's current condition may mean that a feature described below is no longer available on the vehicle. This data should be used along with images, condition data and further inspection to assess value before making a decision about the vehicle.

## Factory Options

### ENGINE

4.2L EFI V6 ENGINE  
V6 Cylinder Engine

## Equipment Details

### MECHANICAL

110-amp alternator  
2-ton jack  
4.2L EFI V6 engine  
58-amp/hr (540 CCA) maintenance-free battery  
Engine block heater \*STD on retail vehicles only in AK, MN, ND, SD, MT, WI & WY. Optional on fleet vehicles\*  
Leaf spring rear suspension w/2-stage variable rear springs

Long-spindle double wishbone front suspension w/coil-over-shock IFS  
Pwr rack & pinion steering  
Rear wheel drive

## EXTERIOR

Black door handles  
Black tailgate handle  
Cargo lamp integrated w/high mount stop light  
Removable tailgate w/key lock & lift assist  
Variable speed intermittent wipers

## INTERIOR

(2) instrument panel cupholders  
Display center-inc: warning messages & text functions  
Dome lamp  
Driver & passenger side A-pillar grab handles  
Front pwr point  
Gauges-inc: voltmeter, oil pressure, engine coolant temp, speedometer & odometer  
Glove box  
SecuriLock anti-theft ignition (PATS)  
Tachometer  
Tilt steering column  
Tire pressure monitoring system

## SAFETY

Auto lock safety belt feature for child seats  
Center front 3-point safety belt  
Dual note horn  
Dual stage driver & passenger front airbags w/passenger off switch  
Dual stage driver & passenger seat-mounted side airbags  
Seat Belt Minder system  
Seat integrated outside front lap & shoulder safety belts-inc: height adjusters, pretensioners, energy management retractors

# Vehicle Equipment

## AIR BAG - FRONTAL

Driver Air Bag  
Passenger Air Bag  
Passenger Air Bag On/Off Switch

## AIR BAG - SIDE

Front Side Air Bag

## AUDIO

AM/FM Stereo

## BRAKES

4-Wheel Disc Brakes  
ABS

## CONVENIENCE

Adjustable Steering Wheel  
Engine Immobilizer  
Intermittent Wipers  
Power Outlet  
Variable Speed Intermittent Wipers

## DRIVETRAIN

Rear Wheel Drive

## ENGINE

4.2L EFI V6 ENGINE  
V6 Cylinder Engine

## FUEL

Gasoline Fuel

## MIRRORS

Passenger Vanity Mirror

## SEATS

Split Bench Seat

## STEERING

Power Steering

## TIRE - SPARE

Conventional Spare Tire

## TIRES

Tire Pressure Monitor

---

# Technical Specifications

---

## CHASSIS

Brake ABS System - 4-wheel N/A  
Brake Type - Power N/A  
Disc - Front (Yes or ) - Yes N/A  
Disc - Rear (Yes or ) - Yes N/A  
Front Brake Rotor Diam x Thickness - 13.0 x 0.55 in  
Rear Brake Rotor Diam x Thickness - 13.7 x 0.47 in

Frame Type - Ladder N/A

Fuel Tank Capacity, Approx - gal  
Fuel Tank Location - Midship N/A

Steering Ratio (:1), On Center - 20.0 N/A  
Steering Type - Pwr Rack & Pinion N/A  
Turning Diameter - Curb to Curb - ft

Axle Capacity - Front - 4150 lbs  
Axle Capacity - Rear - 3800 lbs  
Axle Ratio (:1) - Rear - N/A  
Axle Ratio (:1) - Rear - 3.73 N/A  
Axle Type - Front - Double Wishbone N/A  
Axle Type - Rear - Semi-Floating N/A  
Shock Absorber Diameter - Front - 36 mm  
Shock Absorber Diameter - Rear - 32 mm  
Spring Capacity - Front - lbs  
Spring Capacity - Rear - lbs  
Stabilizer Bar Diameter - Front - 1.34 in  
Suspension Type - Front - Coil Spring N/A  
Suspension Type - Rear - Leaf Spring N/A

Front Tire Capacity - lbs  
Rear Tire Capacity - lbs  
Spare Tire Capacity - lbs

Dead Weight Hitch - Max Tongue Wt. - lbs  
Dead Weight Hitch - Max Trailer Wt. - lbs  
Fifth Wheel Hitch - Max Tongue Wt. - lbs  
Fifth Wheel Hitch - Max Trailer Wt. - lbs  
Wt Distributing Hitch - Max Tongue Wt. - lbs  
Wt Distributing Hitch - Max Trailer Wt. - lbs

Curb Weight - Front - lbs  
Curb Weight - Rear - lbs  
Gross Axle Wt Rating - Front - lbs  
Gross Axle Wt Rating - Rear - lbs  
Gross Combined Wt Rating - lbs  
Gross Vehicle Weight Rating Cap - lbs

Front Wheel Material - Steel N/A  
Front Wheel Size - 17 x 7.5 in  
Rear Wheel Material - Steel N/A  
Rear Wheel Size - 17 x 7.5 in  
Spare Wheel Material - Steel N/A  
Spare Wheel Size - 17 x 7.5 in

## DIMENSIONS

Cargo Box (Area) Height - 22.3 in  
Cargo Box Length @ Floor - in  
Cargo Box Width @ Floor - 60.3 in  
Cargo Box Width @ Top, Rear - 62.4 in  
Cargo Box Width @ Wheelhousings - 50.0 in  
Cargo Volume - ft<sup>3</sup>  
Tailgate Width - 65.2 in

Ground to Top of Load Floor - in  
Height, Overall - in  
Length, Overall w/o rear bumper - in  
Overhang, Front - 36.9 in  
Overhang, Rear w/o bumper - 48.4 in  
Wheelbase - in  
Width, Max w/o mirrors - 78.9 in

Front Head Room - 40.9 in  
Front Hip Room - 65.4 in  
Front Leg Room - 41.3 in  
Front Shoulder Room - 66.5 in  
Passenger Capacity - 3 N/A

## POWERTRAIN

Total Cooling System Capacity - 19.7 qts

Cold Cranking Amps @ 0° F (Primary) - N/A  
Maximum Alternator Capacity (amps) - 110 N/A  
Maximum Alternator Watts - 1650 N/A

Displacement - 4.2L/256 N/A  
Engine Order Code - 992 N/A  
Engine Type - Gas V6 N/A  
Fuel System - EFI N/A  
SAE Net Horsepower @ RPM - 202 @ 4350 N/A  
SAE Net Torque @ RPM - 260 @ 3750 N/A

EPA Fuel Economy Est - City - 14 MPG  
EPA Fuel Economy Est - Hwy - MPG

Clutch Size - in  
Drivetrain - Rear Wheel Drive N/A  
Fifth Gear Ratio (:1) - N/A  
First Gear Ratio (:1) - N/A  
Fourth Gear Ratio (:1) - N/A  
Reverse Ratio (:1) - N/A  
Second Gear Ratio (:1) - N/A  
Third Gear Ratio (:1) - N/A  
Trans Type - N/A

## SUMMARY

Vehicle Name - Ford F-150 N/A

## VEHICLE

Country of Origin - United States For