

2002 ACURA RSX AUTO

The information below was known to be true at the time the vehicle was manufactured. The vehicle's current condition may mean that a feature described below is no longer available on the vehicle. This data should be used along with images, condition data and further inspection to assess value before making a decision about the vehicle.

Equipment Details

MECHANICAL

110-amp alternator
13.2 gallon fuel tank
16" x 6.5" 5-spoke cast alloy wheels
2.0L DOHC PGM-FI 16 valve 4 cyl engine w/i-VTEC
4-wheel disc brakes (vented front)
5-speed Sequential SportShift automatic transmission w/Grade Logic Control
Direct ignition system
Front wheel drive
Front/rear gas pressurized shock absorbers w/progressive valve
Galvanized body panels
Independent compact double wishbone rear suspension w/coil springs, & stabilizer bar
Independent Control Link MacPherson strut front suspension w/coil springs
Maintenance-free battery
P205/55R16 performance SBR Michelin MXM4 tires
Variable pwr torque-sensing rack & pinion steering

EXTERIOR

4-pod flush halogen headlights
Chip-resistant rocker panels
Dual pwr-operated door mirrors
Heat-rejecting green glass

Intermittent front wipers w/mist feature
Pwr moonroof
Rear window wiper/washer

INTERIOR

(2) accessory pwr outlets
50/50 split fold-down rear seatbacks
Anti-theft engine immobilizer
Automatic climate control system w/micron air filtration
Carpeted floor mats
Center console w/dual cup holders
Cruise control
Door storage compartments
Driver & front passenger seat back pockets
Driver & front passenger visor vanity mirrors
Driver seat lumbar support adjustment
Dual trip meters
ETR AM/FM stereo-inc: compact disc, 6-speakers, anti-theft feature, clock
Leather-wrapped tilt steering wheel
Maintenance interval reminder
Metallic-face gauges
Overhead map lights
Pwr windows-inc: illuminated switches, driver auto up/down w/auto-reverse
Rear in-glass printed antenna
Rear window defroster w/timer
Remote fuel filler door release
Theft deterrent system

SAFETY

Driver & front passenger airbag supplemental restraint system
Driver & front passenger side airbag supplemental restraint system w/front seat passenger occupant height & position sensors
Dual front seatbelt pretensioners
Front/rear 3-point seatbelts
Front/rear 5-mph bumpers
Front/rear crumple zones
Rear child seat tether anchors

Vehicle Equipment

AIR BAG - FRONTAL

Driver Air Bag

Passenger Air Bag
Passenger Air Bag Sensor

AIR BAG - SIDE

Front Side Air Bag

AIR CONDITIONING

A/C
Climate Control

AUDIO

AM/FM Stereo
CD Player

BRAKES

4-Wheel Disc Brakes
ABS

CONVENIENCE

Adjustable Steering Wheel
Cruise Control
Engine Immobilizer
Front Reading Lamps
Intermittent Wipers
Leather Steering Wheel
Power Outlet
Security System

DRIVETRAIN

Front Wheel Drive

ENGINE

4 Cylinder Engine

FLOOR MATS

Floor Mats

FUEL

Gasoline Fuel

LOCKS

Keyless Entry
Power Door Locks

MIRRORS

Driver Vanity Mirror
Passenger Vanity Mirror
Power Mirror(s)

ROOF

Generic Sun/Moonroof
Sun/Moonroof

SEATS

Bucket Seats
Driver Adjustable Lumbar
Pass-Through Rear Seat
Rear Bench Seat

STEERING

Power Steering

TIRE - FRONT

Tires - Front Performance

TIRE - REAR

Tires - Rear Performance

TRANSMISSION

5-Speed A/T
A/T
Transmission w/Dual Shift Mode

WHEELS

Aluminum Wheels

WINDOW

Power Windows
Rear Defrost

Technical Specifications

CHASSIS

Brake ABS System - 4-Wheel N/A
Brake Type - Pwr N/A
Disc - Front (Yes or) - Yes N/A
Disc - Rear (Yes or) - Yes N/A
Front Brake Rotor Diam x Thickness - 10.3 x 0.82 in
Rear Brake Rotor Diam x Thickness - 10.2 x 0.35 in

Fuel Tank Capacity, Approx - 13.2 gal

Lock to Lock Turns (Steering) - 2.64 N/A
Steering Ratio (:1), Overall - 15.1 N/A
Steering Type - Variable Pwr N/A
Turning Diameter - Curb to Curb - 38.1 ft

Stabilizer Bar Diameter - Front - 0.90 in
Stabilizer Bar Diameter - Rear - 0.75 in
Suspension Type - Front - MacPherson Strut N/A
Suspension Type - Front (Cont.) - w/Control Link N/A
Suspension Type - Rear - Double-Wishbone N/A

Front Tire Size - P205/55R16 N/A
Rear Tire Size - P205/55R16 N/A
Spare Tire Size - P135/70R15 N/A

Base Curb Weight - 2769 lbs

Front Wheel Material - Aluminum N/A
Front Wheel Size - 16" x 6.5" in
Rear Wheel Material - Aluminum N/A
Rear Wheel Size - 16" x 6.5" in
Spare Wheel Size - Compact in

DIMENSIONS

Trunk Volume - 17.8 ft³

Height, Overall - 55.1 in
Length, Overall - 172.2 in
Min Ground Clearance - 6.0 in
Track Width, Front - 58.5 in
Track Width, Rear - 58.5 in
Wheelbase - 101.2 in
Width, Max w/o mirrors - 67.9 in

Front Head Room - 37.8 in
Front Hip Room - 51.1 in
Front Leg Room - 43.1 in
Front Shoulder Room - 52.6 in
Passenger Capacity - 4 N/A
Passenger Volume - 79.2 ft³
Second Head Room - 30.1 in
Second Hip Room - 46.2 in
Second Leg Room - 29.2 in
Second Shoulder Room - 51.3 in

POWERTRAIN

Total Cooling System Capacity - 5.9 qts

Maximum Alternator Capacity (amps) - 110 N/A

Displacement - 2.0L/122 N/A
Engine Type - Gas I4 N/A
Fuel System - PGM-FI N/A
SAE Net Horsepower @ RPM - 160 @ 6500 N/A
SAE Net Torque @ RPM - 141 @ 4000 N/A

EPA Fuel Economy Est - City - 24 MPG
EPA Fuel Economy Est - Hwy - 33 MPG

Drivetrain - Front-Wheel Drive N/A
Fifth Gear Ratio (:1) - 0.571 N/A
Final Drive Axle Ratio (:1) - 4.562 N/A
First Gear Ratio (:1) - 2.684 N/A
Fourth Gear Ratio (:1) - 0.733 N/A
Reverse Ratio (:1) - 2.000 N/A
Second Gear Ratio (:1) - 1.500 N/A
Third Gear Ratio (:1) - 0.984 N/A
Trans Description Cont. - Automatic w/OD N/A
Trans Type - 5 N/A

SUMMARY

Body Style - 3 Door Coupe N/A
Vehicle Name - Acura RSX N/A

VEHICLE

Country of Origin - Japan Honda Reserved
EPA Classification - Sub-Compact N/A